

This figure "fig1_1.jpg" is available in "jpg" format from:

<http://arXiv.org/ps/astro-ph/0207373v4>

TABLE 1
OBSERVING LOG

IRAS <i>FSC</i> (1)	<i>z</i> (2)	$\log\left(\frac{L_{\text{IR}}}{L_{\odot}}\right)$ (3)	Optical			Near-Infrared		
			Date (4)	Exp. (5)	Seeing (6)	Date (7)	Exp. (8)	Seeing (9)
00091-0738	0.118	12.19	11/94	800	1.02	07/00	900	0.54
00188-0856	0.128	12.33	11/94	400	1.14	07/00	900	0.51
00397-1312	0.261	12.90	11/94	800	1.22	07/00	900	0.68
00456-2904	0.110	12.12	08/95	1000	1.07	07/00	900	0.71
00482-2721	0.129	12.00	08/95	1000	1.03	07/00	900	0.75
01004-2237	0.118	12.24	08/95	1000	1.08	07/00	900	0.77
01166-0844	0.118	12.03	11/94	800	1.28	07/00	900	0.55
01199-2307	0.156	12.26	11/94	800	1.13	07/00	810	0.75
01298-0744	0.136	12.27	11/94	800	1.17	07/00	900	0.56
01355-1814	0.192	12.39	08/95	1000	1.18	07/00	900	0.72
01494-1845	0.158	12.23	08/95	1000	1.08	07/00	900	0.70
01569-2939	0.141	12.15	08/95	1000	1.29	07/00	900	0.75
01572+0009	0.163	12.53	07/87	1200	1.36	07/00	900	0.61
02021-2103	0.116	12.01	09/99 ^a	300	0.71	07/00	900	0.56
02411+0353	0.144	12.19	11/94	800	1.12	08/95	600	0.73
02480-3745	0.165	12.23	08/95	600	1.10	07/00	900	0.74
03209-0806	0.166	12.19	11/94	800	0.95	07/00	600	0.65
03250+1606	0.129	12.06	11/94	800	1.01	07/00	700	0.62
Z03521+0028	0.152	12.45	11/94	1000	0.94	07/00	480	0.66
04074-2801	0.153	12.14	11/94	800	1.08	12/95	960	1.17
04103-2838	0.118	12.15	11/94	400	1.17	12/95	600	0.88
04313-1649	0.268	12.55	11/94	1000	1.02	12/95	1200	0.75
05020-2941	0.154	12.28	02/95	800	2.24	12/95	1200	1.47
05024-1941	0.192	12.43	11/94	400	1.01	12/98	2700	0.76
05156-3024	0.171	12.20	02/95	800	2.12	12/95	1200	0.80
05189-2524	0.042	12.07	10/86	600	2.91	12/95	150	0.65
07599+6508	0.149	12.46	04/87	150	1.05	04/93	960	0.45
08201+2801	0.168	12.23	03/93	500	1.02	12/95	1200	0.75
08474+1813	0.145	12.13	03/93	500	0.89	12/95	1200	0.75
08559+1053	0.148	12.16	03/93	1000	1.38	12/95	1200	0.75
08572+3915	0.058	12.11	12/93	600	1.13	06/92	360	1.05
08591+5248	0.158	12.14	03/93	1000	1.01	12/95	1200	0.70
09039+0503	0.125	12.07	03/93	1000	0.98	02/93	360	0.96
09116+0334	0.146	12.11	03/93	500	1.47	12/95	1080	0.75
09463+8141	0.156	12.29	05/00	240	0.99	12/95	1200	1.11
09539+0857	0.129	12.03	03/93	1000	0.96	02/93	240	0.94
10035+2740	0.165	12.22	03/93	1000	0.92	12/95	1200	0.75
10091+4704	0.246	12.67	03/93	1000	1.10	04/93	1200	0.77
10190+1322	0.077	12.00	02/95	1000	1.81	04/96	600	1.01
10378+1108	0.136	12.26	04/91	1200	1.33	12/95	1200	0.70
10485-1447	0.133	12.17	03/93	600	0.83	12/95	1080	0.79
10494+4424	0.092	12.13	04/91	1200	1.02	04/96	600	1.22
10594+3818	0.158	12.24	03/93	700	0.81	04/96	600	0.73
11028+3130	0.199	12.32	03/93	1000	1.18	04/93	1200	1.12
11095-0238	0.106	12.20	04/91	900	0.92	02/95	1200	0.75
11119+3257	0.189	12.58	04/91	600	1.16	07/00	720	0.71
11130-2659	0.136	12.05	05/00	240	0.72	04/96	1200	0.71

TABLE 1—*Continued*

IRAS <i>FSC</i> (1)	<i>z</i> (2)	$\log\left(\frac{L_{\text{IR}}}{L_{\odot}}\right)$ (3)	Optical			Near-Infrared		
			Date (4)	Exp. (5)	Seeing (6)	Date (7)	Exp. (8)	Seeing (9)
11180+1623	0.166	12.24	03/93	1000	1.28	07/00	900	0.77
11223–1244	0.199	12.59	03/93	1000	1.46	04/93	1200	0.67
11387+4116	0.149	12.18	03/93	1000	0.76	04/96	600	0.80
11506+1331	0.127	12.28	04/91	600	1.59	04/93	960	1.01
11582+3020	0.223	12.56	03/93	1000	1.39	04/96	600	1.42
Z11598–0112	0.151	12.43	02/95	600	1.66	04/96	600	0.72
12018+1941	0.168	12.44	04/91	600	1.27	12/98	2880	0.76
12032+1707	0.217	12.57	02/95	1000	2.11	04/96	600	0.73
12072–0444	0.129	12.35	04/91	900	1.52	07/00	900	0.32
12112+0305	0.073	12.28	04/90	200	1.15	06/92	360	1.12
12127–1412	0.133	12.10	03/93	800	0.81	04/96	720	0.75
12265+0219	0.159	12.73	02/95	90	1.68	04/96	50	0.68
12359–0725	0.138	12.11	03/93	1000	1.00	04/96	1320	1.03
12447+3721	0.158	12.06	03/93	1000	1.48	04/96	600	0.69
12540+5708	0.042	12.50	08/86	1500	1.36	07/00	72	0.66
13106–0922	0.174	12.32	02/95	800	1.56	04/96	600	1.26
13218+0552	0.205	12.63	03/93	1000	0.97	12/98	1980	0.76
13305–1739	0.148	12.21	03/93	800	0.90	04/96	480	0.84
13335–2612	0.125	12.06	02/95	1400	1.79	04/96	600	0.74
13342+3932	0.179	12.37	03/93	1000	0.79	04/93	1200	1.12
13428+5608	0.037	12.10	04/90	85	1.15	06/92	240	0.86
13443+0802	0.135	12.15	02/95	400	1.56	07/00	900	0.66
13451+1232	0.122	12.28	07/92	600	1.95	04/96	600	0.75
13454–2956	0.129	12.21	02/95	800	1.68	04/96	600	0.84
13469+5833	0.158	12.15	03/93	1000	0.79	07/00	900	0.53
13509+0442	0.136	12.27	03/93	800	0.72	04/96	600	1.32
13539+2920	0.108	12.00	04/91	900	1.17	07/00	900	0.88
14053–1958	0.161	12.12	03/93	800	1.59	04/96	600	1.18
14060+2919	0.117	12.03	03/93	800	0.94	07/00	900	0.62
14070+0525	0.265	12.76	07/92	600	1.57	07/00	900	0.66
14121–0126	0.151	12.23	03/93	800	0.75	07/00	900	0.74
14197+0813	0.131	12.00	02/95	800	1.52	07/00	900	0.64
14202+2615	0.159	12.39	03/93	1000	0.80	07/00	900	0.64
14252–1550	0.149	12.15	03/93	900	1.11	04/93	800	1.52
14348–1447	0.083	12.28	04/90	280	0.93	06/92	360	0.94
14394+5332	0.105	12.04	04/91	1200	0.98	07/00	900	0.65
14485–2434	0.148	12.04	03/93	500	1.10	04/96	600	0.73
15001+1433	0.162	12.38	04/91	1200	1.18	07/00	900	0.63
15043+5754	0.151	12.05	03/93	1000	0.80	07/00	900	0.70
15130–1958	0.109	12.09	05/00	270	0.75	07/00	900	0.56
15206+3342	0.125	12.18	07/92	600	1.52	07/00	900	0.65
15225+2350	0.139	12.10	03/93	800	0.85	07/00	900	0.59
15327+2340	0.018	12.17	03/93	500	0.86	06/92	240	1.12
15462–0450	0.100	12.16	04/91	1200	1.09	04/93	640	1.32
16090–0139	0.134	12.49	04/91	600	1.21	04/93	800	0.90
16156+0146	0.132	12.04	07/92	600	1.15	04/93	640	0.78
16300+1558	0.242	12.63	07/92	600	1.36	04/93	1200	0.72

TABLE 1—*Continued*

IRAS <i>FSC</i> (1)	z (2)	$\log\left(\frac{L_{\text{IR}}}{L_{\odot}}\right)$ (3)	Optical			Near-Infrared		
			Date (4)	Exp. (5)	Seeing (6)	Date (7)	Exp. (8)	Seeing (9)
16333+4630	0.191	12.35	04/91	600	1.16	04/93	1200	0.65
16468+5200	0.150	12.02	07/92	600	1.01	07/00	900	0.75
16474+3430	0.111	12.11	04/91	600	1.23	04/93	300	0.96
16487+5447	0.104	12.12	04/91	600	0.97	07/00	900	0.56
17028+5817	0.106	12.10	04/91	720	1.36	07/00	900	0.59
17044+6720	0.135	12.13	08/95	1200	1.06	07/00	900	0.59
17068+4027	0.179	12.30	07/92	600	0.99	08/95	1320	0.84
17179+5444	0.147	12.20	08/95	1600	1.13	07/00	900	0.47
20414−1651	0.086	12.14	07/92	600	1.96	07/00	900	0.67
21208−0519	0.130	12.01	11/94	900	0.86	07/00	900	0.62
21219−1757	0.112	12.06	07/92	600	0.99	07/00	900	0.54
21329−2346	0.125	12.09	07/92	600	1.14	08/95	480	0.78
21477+0502	0.171	12.24	11/94	800	0.78	08/95	1200	0.79
22088−1831	0.170	12.31	07/92	600	1.10	08/95	480	0.76
22206−2715	0.132	12.19	07/92	600	1.10	08/95	1080	0.85
22491−1808	0.076	12.09	07/92	600	1.13	08/95	720	0.82
22541+0833	0.166	12.23	11/94	800	0.79	08/95	600	0.75
23060+0505	0.173	12.44	11/94	400	0.80	07/00	720	0.55
23129+2548	0.179	12.38	11/94	400	0.86	07/00	900	0.73
23233+2817	0.114	12.00	08/95	1000	0.77	07/00	900	0.75
23234+0946	0.128	12.05	11/94	800	0.83	07/00	900	0.58
23327+2913	0.107	12.06	11/94	800	0.93	07/00	900	0.50
23389+0300	0.145	12.09	11/94	800	0.86	07/00	900	0.50
23498+2423	0.212	12.40	11/94	800	0.90	07/00	900	0.60

^aObserved under non-photometric conditions.

Col 1: The *IRAS* object name in the Faint Source Database (FSDB). The prefix ‘FSC’ is the standard designator for sources in the Faint Source Catalog. The prefix ‘Z’ is used for objects that are not in the FSC – these objects are contained in the Faint Source Reject File (see Moshir et al. 1992).

Col 2: Optical redshifts from Kim & Sanders (1998).

Col 3: Infrared luminosity calculated using the prescription of Sanders & Mirabel (1996).

Col 4: Observing date in Month/Year format. 08/86 (Palomar 60'', RCA 512×330 CCD, 0.47''/pixel), 10/86 (Palomar 60'', RCA 512×330 CCD, 0.47''/pixel), 04/87 (Palomar 60'', RCA 512×330 CCD, 0.47''/pixel), 07/87 (Palomar 60'', RCA 512×330 CCD, 0.47''/pixel), 04/90 (MaunaKea 88'', NSF1 800×800 CCD, 0.53''/pixel), 04/91 (MaunaKea 88'' GEC 380×576 CCD, 0.20''/pixel), 06/92 (MaunaKea 88'', TEK 2048×2048 CCD, 0.22''/pixel), 03/93 (MaunaKea 88'', TEK 2048×2048 CCD, 0.22''/pixel), 12/93 (Palomar 60'', TEK 1024×1024 CCD, 0.376''/pixel), 11/94 (MaunaKea 88'', TEK 2048×2048 CCD, 0.22''/pixel), 02/95 (MaunaKea 88'', TEK 2048×2048 CCD, 0.22''/pixel), 08/95 (MaunaKea 88'', TEK 2048×2048 CCD, 0.22''/pixel), 09/99 (MaunaKea 88'', Orbit 2048×2048 CCD, 0.07''/pixel), 05/00 (MaunaKea 88'', TEK 2048×2048 CCD, 0.22''/pixel)

Col 5: Exposure time in seconds.

Col 6: Seeing in arcseconds.

Col 7: Observing date in Month/Year format. 06/92 (MaunaKea 88'', NICMOS3 256×256 CCD, 0.375''/pixel), 02/93 (MaunaKea 88'', NICMOS3 256×256 CCD, 0.375''/pixel), 04/93 (MaunaKea 88'', NICMOS3 256×256 CCD, 0.375''/pixel), 02/95 (MaunaKea 88'', QUIRC 1024×1024 CCD, 0.1886''/pixel), 08/95 (MaunaKea 88'', QUIRC 1024×1024 CCD, 0.1886''/pixel), 12/95 (MaunaKea 88'', QUIRC 1024×1024 CCD, 0.1886''/pixel), 04/96 (MaunaKea 88'', QUIRC 1024×1024 CCD, 0.1886''/pixel), 12/98 (MaunaKea 88'', QUIRC 1024×1024 CCD, 0.0608''/pixel), 07/00 (MaunaKea 88'', QUIRC 1024×1024 CCD, 0.1886''/pixel)

Col 8: Exposure time in seconds.

Col 9: Seeing in arcseconds.

OPTICAL AND NEAR-INFRARED IMAGING OF THE IRAS 1-JY SAMPLE OF ULTRALUMINOUS INFRARED GALAXIES. I. THE ATLAS

D.-C. KIM^{1,2}, S. VEILLEUX^{3,5}, AND D. B. SANDERS^{4,5}

ABSTRACT

An imaging survey of the *IRAS* 1-Jy sample of 118 ultraluminous infrared galaxies was conducted at optical (*R*) and near-infrared (*K'*) wavelengths using the University of Hawaii 2.2m telescope. The methods of observation and data reduction are described. An *R* and *K'* atlas of the entire sample is presented along with some of the basic astrometric and photometric parameters derived from these images. A more detailed analysis of these data is presented in a companion paper (Veilleux, Kim, & Sanders 2002).

Subject headings: galaxies: active – galaxies: interactions – galaxies: photometry – galaxies: starburst – infrared: galaxies

1. INTRODUCTION

Ultraluminous infrared galaxies (ULIGs; $\log [L_{\text{IR}}/L_{\odot}] \geq 12$ by definition; $H_0 = 75 \text{ km s}^{-1} \text{ Mpc}^{-1}$ and $q_0 = 0$) are an important class of extragalactic objects that appear to be powered by a mixture of starburst and AGN activity, both of which are fueled by an enormous supply of molecular gas that has been funneled into the nuclear region during the merger of gas-rich spirals. ULIGs rival quasi-stellar objects (QSOs) in bolometric luminosity, and there is speculation that ULIGs may indeed represent an important stage in the formation of QSOs as well as powerful radio galaxies, and that they may also represent a primary stage in the formation of giant ellipticals (see Sanders & Mirabel 1996 for a review).

A complete sample of 118 ULIGs ($f_{60} > 1$) was compiled by Kim (1995; see also Kim & Sanders 1998) from a redshift survey of objects in the *IRAS* Faint Source Catalog (FSC; Moshir et al. 1992). As the nearest (median redshift = 0.145) and brightest ULIGs, this so-called 1-Jy sample provides the best list of objects for detailed multiwavelength studies. Optical spectroscopy for 108 objects in the sample has been published by Veilleux, Kim, & Sanders (1999a), and near-infrared spectra have been published for 60% of the sample by Veilleux, Sanders, & Kim (1999b). We now present the results from our optical and near-infrared ground-based imaging study of this sample.

In this first paper, we discuss the methods of observation and data reduction (§2) and then present an *R* and *K'* atlas of the 1-Jy sample (§3.1) along with some of the basic astrometric (§3.2) and photometric (§3.3) parameters derived from these images. In Paper II (Veilleux, Kim, & Sanders 2002, we examine the data in more detail and combine the results of the image analysis with those from our spectroscopic survey and other published studies to address the important issue of the origin of ULIGs and their possible evolutionary link with QSOs, radio galaxies, and ellipticals. For both this and the companion papers, we adopt $H_0 = 75 \text{ km s}^{-1}$, $q_0 = 0.0$, $M_R^* = -21.2 \text{ mag}$, and $M_{K'}^* = -24.1 \text{ mag}$. The values for M^* are justified in §1 of Paper II.

2. OBSERVATIONS AND DATA REDUCTION

2.1. Optical Imaging

Optical images for all 118 ULIGs were obtained at the Cassegrain focus of the University of Hawaii (UH) 2.2m telescope with the Kron-Cousins *R* filter (6400 Å). These CCD images were bias-subtracted and flat-fielded using normalized dome flat. Bad columns were removed by interpolation using nearby pixel values, and cosmic-rays were removed with the COSMIC package in IRAF. Except for one object, IRAS F02021–2103, all objects were observed under photometric conditions and have been calibrated with the Landolt standard stars (Landolt 1983, 1992). Atmospheric extinction was corrected using 2–3 observations of the same standard stars at different airmasses through the night. The IRAF task IMALIGN was used to register the images for a given object, and the task IMCOMBINE was used to coadd them together. A summary of our observations is given in Table 1 including object names, redshifts and infrared luminosities, observing dates, exposure times, telescopes and instrument used, pixel scales and seeing estimated from the full widths at half maximum (FWHM) of stellar images within the field of view.

2.2. Near-Infrared Imaging

All of the near-infrared images were obtained under photometric conditions with either the NICMOS3 or QUIRC near-infrared array camera at the Cassegrain focus of the UH 2.2m telescope using a *K'* filter. The central wavelength of the *K'* filter is $2.1 \mu\text{m}$. It is designed to significantly reduce the thermal background compared to the conventional $2.2 \mu\text{m}$ K filter (Wainscoat & Cowie 1992). The plate scales of the NICMOS3 and QUIRC cameras are $0''.37 \text{ pixel}^{-1}$ and $0''.1886 \text{ pixel}^{-1}$, respectively. For observations made prior to April 1993, separate nearby sky frames were obtained by moving the telescope 90 – 120'' away from the source position, and these sky frames were then combined to produce final median sky frames. For the rest of the observations, sky frames were constructed by median filtering dithered object frames. Because the sky brightness

¹ Institute of Astronomy and Astrophysics, Academia Sinica, P.O. Box 1-87, Nankang, Taipei, 115 Taiwan

² Current address: School of Earth and Environmental Sciences (BK21), Seoul National University, Seoul, Korea; E-mail: dckim@astro.snu.ac.kr

³ Department of Astronomy, University of Maryland, College Park, MD 20742; E-mail: veilleux@astro.umd.edu

⁴ Institute for Astronomy, University of Hawaii, 2680 Woodlawn Drive, Honolulu, HI 96822, and Max-Planck Institut für Extraterrestrische Physik, D-85740, Garching, Germany; E-mail: sanders@ifa.hawaii.edu

⁵ Visiting Astronomer, W. M. Keck Observatory, jointly operated by the California Institute of Technology and the University of California

changes rapidly, the median-filtered sky frames were rescaled to the sky values of each object frame before the sky subtraction. Prior to this subtraction, all hot pixels were eliminated from the distribution of pixel values in dark frames. The distribution of pixel values is expected to be Gaussian and if a pixel value lies above or below the 3σ values, then we regarded it as hot. Dome flats were obtained at the beginning and end of each night by turning a lamp in the dome on and off. The dark-subtracted flats were obtained by subtracting the lamp-off flats from the lamp-on flats. Flat-fielded images were then coadded after shifting in fractional pixel units with respect to the object center. During this procedure we carefully inspected all of the image frames to see if any hot pixels remained near the target object. Any remaining hot pixels near the target were then replaced with the median value from all other frames at the same position. The final coadded images were calibrated from observations of infrared standard stars (Elias et. al. 1982) using the PHOT or POLYPHOT packages in IRAF. Airmass corrections were carried out using the same procedure as for the optical observations. The near-infrared observations are summarized in Table 1.

3. EMPIRICAL RESULTS

3.1. The Atlas

The R and K' greyscale images and contour plots of the entire 1-Jy sample of ULIGs are presented in Figure 1. It is immediately evident from this figure that nearly all of the objects in the 1-Jy sample show signs of a strong tidal interaction/merger in the form of distorted or double nuclei, tidal tails, bridges, and overlapping disks. These results are qualitatively consistent with previous imaging surveys of ULIGs (e.g., Sanders et al. 1988; Melnick & Mirabel 1990; Murphy et al. 1996; Clements et al. 1996; although see Lawrence et al. 1989; Zou et al. 1991; Leech et al. 1994). Recent surveys with HST and adaptive optics systems have also confirmed these results (e.g., Surace et al. 1998; Zheng et al. 1999; Scoville et al. 2000; Borne et al. 2000; Cui et al. 2001; Farrah et al. 2001; Colina et al. 2001; Bushouse et al. 2002; Surace & Sanders 1999, 2000; Surace, Sanders, & Evans 2000, 2001). Great care was used to determine which objects in the field are involved in tidal interactions and which ones are not (the description of this analysis is postponed until §3 in Paper II). Faint tidal features and distortions are generally easier to detect in our R -band images. Galaxies labeled “G” in Figure 1 indicates a nearby group member with no evidence of tidal interaction with the main galaxy. The group membership of these galaxies was individually determined using a series of spectroscopic observations with the Keck II telescope. These observations will be described in Paper II along with the results from a quantitative analysis of the imaging data.

3.2. Astrometry

We have measured the positions of the main galactic nuclei from the R and K' images. To determine the position of each nucleus, we first retrieved the positions of 3 – 8 stars around the galaxy from the USNO-A1.0 catalog (Monet et al. 1996). A plate solution was then derived using the IRAF task PLTSOL. The typical positional error ($\sim 2\sigma$) is estimated to be less than $0''.5$. The positions of the nuclei are listed in the second and third columns of Table 2. The median values of the positional offsets between the R and K' nuclei is $0''.48$, or 1.22 kpc if we convert arcseconds into physical scale. Using the optical spectral types derived from our optical spectroscopy (Veilleux et al.

1999a), we find that the median values of the offsets are $0''.51$ (1.3 kpc), $0''.59$ (1.2 kpc), $0''.44$ (1.3 kpc), and $0''.22$ (0.9 kpc) for H II region-like, LINER, Seyfert 2, and Seyfert 1 galaxies, respectively. This marginally significant positional offset can be attributed to the wavelength-dependent effects of dust extinction along our line of sight. The smaller offset among Seyfert 1s may indicate less dust extinction in these objects.

3.3. Aperture photometry

Global and nuclear (4-kpc diameter) aperture photometry was performed for each galaxy in the sample. The results of these measurements are listed in Table 3. Since the 1-Jy sources are selected to have $|b| > 30^\circ$ (Kim & Sanders 1998), the photometry presented in this paper has not been corrected for Galactic extinction. Figure 2 shows the distribution of the integrated (= nuclear + host) R and K' absolute magnitudes of our sample galaxies. The absolute magnitudes range from -20.1 to -26.4 at R (mean = -21.9 ± 0.9 , median = -21.83) and from -23.7 to -29.3 at K' (mean = -25.3 ± 1.1 , median = -25.2). Using $M_R = -21.2$ and $M_{K'} = -24.1$ for an L^* galaxy with $H_0 = 75 \text{ km s}^{-1} \text{ Mpc}^{-1}$ (see discussion at the end of §1 in Paper II), these magnitudes are equivalent to $\sim 0.4 - 120$ ($0.7 - 120$) L^* at R (K'), with means and medians around 2 (3) L^* .

Figure 3 shows the distribution of global and nuclear $R-K'$ colors. The global $R-K'$ and nuclear (4-kpc diameter) $(R-K')_4$ colors range from 2.15 to 5.28 and 3.18 to 6.81 with median values of 3.25 and 4.37, respectively. There is a strong correlation between the global and nuclear $R-K'$ colors (not shown here); this correlation is expected since the nuclear color contributes significantly to the global color. These colors can be compared with those of normal galaxies using the photometric tables of de Vaucouleurs & Longo (1988). In their table, we find 14 galaxies (5 ellipticals, 9 spirals) which have Kron-Cousins R and near-infrared K and H magnitudes; for these objects we find a mean $R-K'$ value of 2.62 ± 0.34 . The H magnitude was used to convert K to K' magnitudes using the conversion formula $K' = K + (0.22 \pm 0.03)(H - K)$ from Wainscoat & Cowie (1992). Dust extinction in the nuclei of ULIGs is at least partially responsible for the redder colors of ULIGs relative to normal galaxies; dust emission at K' may also be important in ULIGs. This issue is discussed in more detail in Paper II.

We define the “compactness” of a galaxy as the ratio of nuclear (4-kpc diameter) to total luminosities. Figures 4 shows the histograms of the R and K' compactness values. The R (K') compactness ranges from 0.03 (0.10) to 0.53 (0.91) with a mean value of 0.14 ± 0.09 (0.36 ± 0.17) (1σ). The ULIGs in our sample are therefore significantly more compact at K' than at R , possibly a consequence of the lower extinction and stronger warm-dust emission at longer wavelengths. The dependence of the compactness on the infrared and optical spectroscopic properties of the galaxies will be discussed in Paper II.

4. SUMMARY

We have carried out an optical (R) and near-infrared (K') imaging survey of the IRAS 1-Jy sample of 118 ULIGs. In this first paper, we present an atlas of the sample galaxies and list a few basic astrometric and photometric parameters derived from these images. Nearly all ULIGs show signs of tidal interaction, in agreement with previous studies. The 1-Jy ULIGs show a broad range of luminosities with median R -band (K' -band) integrated luminosities of about 2 (3) L^* . Their nuclear and, to a

lesser extent, global $R - K'$ colors are significantly redder than those of normal galaxies, a result which is attributed to dust reddening and emission in the inner 4 kpc of these galaxies. This is also consistent with the fact that the brightness distributions of 1-Jy ULIGs are more compact at K' than at R . The generally smaller nuclear offsets between R and K' images among Seyfert 1s may indicate lower dust extinction in these objects, but this result is only marginally significant. A more detailed analysis of these data is presented in a companion paper (Veilleux, Kim, & Sanders 2002; Paper II).

We acknowledge the help from Jim Deane, Aaron Evans, Cathy Ishida, and Joe Jensen in acquiring some of the images presented in this paper. We thank the anonymous referee for a prompt and thorough review. S.V. is grateful for partial support of this research by NASA/LTSA grant NAG 56547. D.C.K. acknowledges financial support from the Academia Sinica in Taipei and the BK21 project of the Korean Government. D.B.S. gratefully acknowledges the hospitality of the Max-Planck Institut for Extraterrestriche Physik and is grateful for support from a senior award from the Alexander von Humboldt-Stiftung and from NASA JPL contract 961566. This work has made use of NASA's Astrophysics Data System Abstract Service and the NASA/IPAC Extragalactic Database (NED), which is operated by the Jet Propulsion Laboratory, California Institute of Technology, under contract with the National Aeronautics and Space Administration.

REFERENCES

- Borne, K. D., Bushouse, H., Lucas, R. A., & Colina, L. 2000, *ApJ*, 529, L77
- Bushouse, H. A., et al. 2002, *ApJS*, 138, 1
- Clements, D. L., Sutherland, W. J., McMahon, R. G., & Saunders, W. 1996, *MNRAS*, 279, 477
- Colina, L., et al. 2001, *ApJ*, 563, 546
- Cui, J., Xia, X.-Y., deng, Z.-G., Mao, S., & Zou, Z.-L. 2001, *AJ*, 122, 63
- De Vaucouleurs, A., & Longo, G. 1988, *Catalog of optical and infrared photometry of galaxies from 0.5 micrometer to 10 micrometer (1965 – 1985)* (Austin: Univ. of Texas)
- Farrah, D., et al. 2001, *MNRAS*, 326, 1333
- Kim, D.-C. 1995, Ph.D. Thesis, University of Hawaii
- Kim, D.-C., & Sanders, D. B. 1998, *ApJS*, 119, 41
- Kim, D.-C., Veilleux, S., & Sanders, D. B. 1998, *ApJ*, 508, 627
- Landolt, A. U. 1983, *AJ*, 88, 439
- Landolt, A. U. 1992, *AJ*, 104, 340
- Lawrence, A., Rowan-Robinson, M., Leech, K., Jones, D. H. P., & Wall, J. V. 1989, *MNRAS*, 240, 329
- Leech, K. J., Rowan-Robinson, M., Lawrence, A., & Hughes, J. D. 1994, *MNRAS*, 267, 253
- Melnick, J., & Mirabel, I. F. 1990, *A&A*, 231, L19
- Monet, D., et al. 1996, USNO-SA1.0, (U.S. Naval Observatory, Washington DC).
- Moshir, M., et al. 1992, *Explanatory Supplement to the IRAS Faint Source Survey, Version 2*, JPL D-10015 8/92 (Pasadena: JPL) (FSC)
- Murphy, T. W., Jr., et al. 1996, *AJ*, 111, 1025
- Sanders, D. B., & Mirabel, I. F. 1996, *ARA&A*, 34, 725
- Sanders, D. B., Soifer, B. T., Elias, J. H., Madore, B. F., Matthews, K., Neugebauer, G., & Scoville, N. Z. 1988, *ApJ*, 325, 74
- Scoville, N. Z., et al. 2000, *AJ*, 119, 991
- Surace, J. A., & Sanders, D. B. 1999, *ApJ*, 512, 162
- Surace, J. A., & Sanders, D. B. 2000, *AJ*, 120, 604
- Surace, J. A., Sanders, D. B., & Evans, A. S. 2000, *ApJ*, 529, 170
- Surace, J. A., Sanders, D. B., & Evans, A. S. 2001, *AJ*, 122, 2791
- Veilleux, S., Kim, D.-C., & Sanders, D. B. 1999a, *ApJ*, 522, 113
- Veilleux, S., Kim, D.-C., & Sanders, D. B. 2002, *ApJS*, in press (Paper II)
- Veilleux, S., Sanders, D. B., & Kim, D.-C. 1999b, *ApJ*, 522, 139
- Wainscoat, R. J., & Cowie, L. L. 1992, *AJ*, 103, 332
- Zheng, Z., et al. 1999, *A&A*, 349, 735
- Zou, Z., Xia, X., Deng, Z., & Su, H. 1991, *MNRAS*, 252, 593

FIG. 1.— R (left) & K' (right) greyscale images and contour plots of the 118 objects in the 1-Jy sample of ultraluminous infrared galaxies. Each tick mark represents $5''$ and the thick vertical bar along the separating line of each pair of panels represents a physical scale of 20 kpc. The bottom contour levels (BCLs) of the R & K' images are given in the last two columns of Table 2, and the contour intervals are separated by 0.5 magnitude. Objects labeled “G” in the figure indicate nearby group members with no evidence of tidal interaction with the main system, and the “*” symbol indicates a star. The other labels (N, S, E, W, etc) identify the nuclei of parent galaxies and are so labeled in Tables 2 and 3.

FIG. 2.— R and K' absolute magnitudes. These galaxies span a broad range of total (= nuclear + host) luminosities. For comparison, $M_R = -21.2$ and $M_{K'} = -24.1$ for an L^* galaxy.

FIG. 3.— Global and nuclear (4-kpc diameter) $R-K'$ colors. These colors (especially the nuclear values) are considerably redder than those of normal galaxies, $\langle R-K' \rangle = 2.62 \pm 0.34$ (1σ). Dust is the suspected culprit.

FIG. 4.— R and K' compactness values. This quantity is defined as the ratio of the nuclear (4-kpc diameter) to total luminosity. ULIGs are more compact at K' than at R , another sign that dust affects the central surface brightnesses of these objects.

FIG. 1.—




FIG. 2.—





FIG. 3.—




FIG. 4.—

This figure "fig1_2.jpg" is available in "jpg" format from:

<http://arXiv.org/ps/astro-ph/0207373v4>

TABLE 2
ASTROMETRIC AND PHOTOMETRIC PARAMETERS

IRAS <i>FSC</i> (1)	Optical Position (J2000.0)						Near-IR Position (J2000.0)						BCL	
	R.A.			Dec.			R.A.			Dec.			R (4)	K ^r (5)
	(2)						(3)							
00091-0738	0	11	43.25	-7	22	7.5							24.0	19.5
N component							0	11	43.27	-7	22	6.3		
S component							0	11	43.24	-7	22	7.3		
00188-0856	0	21	26.48	-8	39	27.1	0	21	26.48	-8	39	27.1	24.0	19.5
00397-1312	0	42	15.46	-12	56	3.9	0	42	15.50	-12	56	3.5	24.5	19.5
00456-2904													24.0	19.5
SW component	0	48	6.79	-28	48	18.1	0	48	6.75	-28	48	18.6		
NE component	0	48	7.27	-28	48	9.3	0	48	7.25	-28	48	9.8		
00482-2721													24.5	19.5
NW component	0	50	40.37	-27	4	38.8	0	50	40.41	-27	4	38.3		
SE component	0	50	40.44	-27	4	41.5	0	50	40.47	-27	4	41.2		
01004-2237	1	2	49.92	-22	21	57.0	1	2	49.94	-22	21	57.3	24.5	19.5
01166-0844													24.0	19.5
NW component	1	19	7.54	-8	29	9.4	1	19	7.55	-8	29	9.4		
SE component	1	19	7.83	-8	29	12.0	1	19	7.84	-8	29	12.0		
01199-2307													24.5	19.5
SW component	1	22	20.84	-22	52	5.0	1	22	20.84	-22	52	5.2		
NE component	1	22	21.34	-22	52	0.6	1	22	21.38	-22	51	0.6		
01298-0744	1	32	21.41	-7	29	8.9	1	32	21.41	-7	29	8.5	24.0	19.5
01355-1814													24.5	19.5
NW component	1	37	57.38	-17	59	20.0	1	37	57.41	-17	59	20.3		
SE component							1	37	57.45	-17	59	21.8		
01494-1845	1	51	51.32	-18	30	46.2	1	51	51.36	-18	30	46.5	24.5	19.5
01569-2939	1	59	13.75	-29	24	34.4	1	59	13.79	-29	24	34.5	25.0	19.5
01572+0009	1	59	50.22	0	23	40.6	1	59	50.23	0	23	40.5	25.0	19.5
02021-2103	2	4	27.32	-20	49	41.2	2	4	27.34	-20	49	41.3	20.0	19.5
02411+0353													24.0	18.5
NE component	2	43	46.03	4	6	37.9	2	43	46.09	4	6	36.9		
SW component	2	43	45.91	4	6	35.5	2	43	45.96	4	6	34.2		
02480-3745	2	50	1.65	-37	32	44.9	2	50	1.68	-37	32	45.1	24.0	19.5
03209-0806	3	23	22.80	-7	56	15.4	3	23	22.82	-7	56	15.3	24.0	19.5
03250+1606	3	27	49.79	16	16	59.4	3	27	49.77	16	16	59.8	24.0	19.5
03521+0028													24.0	19.5
E component	3	54	42.23	0	37	2.4	3	54	42.25	0	37	2.0		
W component	3	54	42.16	0	37	2.4	3	54	42.15	0	37	2.0		
04074-2801	4	9	30.51	-27	53	43.2	4	9	30.50	-27	53	43.8	24.0	19.5
04103-2838	4	12	19.47	-28	30	24.4	4	12	19.53	-28	30	24.4	23.5	18.5
04313-1649	4	33	37.09	-16	43	31.5	4	33	37.08	-16	43	31.5	25.0	20.0
05020-2941	5	4	0.74	-29	36	54.6	5	4	0.71	-29	36	54.4	25.0	20.0
05024-1941	5	4	36.52	-19	37	3.0	5	4	36.46	-19	37	3.6	24.5	18.5
05156-3024	5	17	32.58	-30	21	12.5	5	17	32.56	-30	21	12.8	24.5	19.5
05189-2524	5	21	1.42	-25	21	45.7	5	21	1.41	-25	21	45.5	24.5	18.0
07599+6508	8	4	30.45	64	59	51.9	8	4	30.45	64	59	52.2	23.5	20.0
08201+2801	8	23	12.62	27	51	38.0	8	23	12.60	27	51	38.6	24.0	19.5
08474+1813	8	50	18.32	18	2	0.6	8	50	18.34	18	2	0.9	25.0	19.5
08559+1053	8	58	41.81	10	41	21.5	8	58	41.78	10	41	21.6	24.0	19.0
08572+3915													23.0	19.5
NW component	9	0	25.42	39	3	54.3	9	0	25.44	39	3	55.0		
SE component	9	0	25.66	39	3	50.0	9	0	25.67	39	3	50.2		
08591+5248	9	2	48.89	52	36	24.2	9	2	48.89	52	36	24.4	24.5	20.0
09039+0503	9	6	34.06	4	51	25.9	9	6	34.05	4	51	26.0	24.0	20.0
09116+0334													24.0	19.5
E component	9	14	13.77	3	22	1.0	9	14	13.78	3	22	1.3		
W component	9	14	13.22	3	22	1.6	9	14	13.24	3	22	1.9		
09463+8141	9	53	0.08	81	27	28.7	9	53	0.09	81	27	28.2	23.5	19.5
09539+0857	9	56	34.32	8	43	5.8	9	56	34.35	8	43	5.6	24.5	20.0
10035+2740	10	6	26.38	27	25	45.6	10	6	26.37	27	25	45.8	24.5	19.5
10091+4704	10	12	16.74	46	49	43.1	10	12	16.74	46	49	42.9	24.5	21.0
10190+1322													24.0	19.5
E component	10	21	42.85	13	6	55.3	10	21	42.81	13	6	55.0		
W component	10	21	42.55	13	6	53.1	10	21	42.56	13	6	53.3		
10378+1108	10	40	29.16	10	53	17.8	10	40	29.17	10	53	17.7	24.5	20.0
10485-1447													24.0	20.0
E component	10	51	3.66	-15	3	19.3	10	51	3.67	-15	3	19.8		
W component	10	51	3.06	-15	3	21.8	10	51	3.05	-15	3	22.2		
10494+4424	10	52	23.56	44	8	47.1	10	52	23.59	44	8	46.5	24.5	19.5
10594+3818													24.5	19.5
NE component	11	2	14.09	38	2	34.9	11	2	14.11	38	2	34.9		
SW component	11	2	13.98	38	2	33.7	11	2	14.01	38	2	33.7		
11028+3130	11	5	37.48	31	14	31.0	11	5	37.48	31	14	30.7	24.5	21.0
11095-0238	11	12	3.38	-2	54	23.8	11	12	3.34	-2	54	24.1	24.0	20.0
11119+3257	11	14	38.89	32	41	33.1	11	14	38.88	32	41	33.1	24.5	19.0
11130-2659	11	15	31.61	-27	16	23.1	11	15	31.56	-27	16	22.7	23.5	20.0
11180+1623													24.5	19.5
E component	11	20	41.73	16	6	56.2	11	20	41.72	16	6	55.9		
W component	11	20	41.15	16	6	55.6	11	20	41.14	16	6	55.5		
11223-1244													24.0	20.5
W component	11	24	50.69	-13	1	17.2	11	24	50.71	-13	1	16.7		
E component	11	24	52.72	-13	1	23.2	11	24	52.75	-13	1	22.8		
11387+4116	11	41	22.04	40	59	50.5	11	41	22.04	40	59	50.3	24.5	20.0

TABLE 2—*Continued*

IRAS FSC (1)	Optical Position (J2000.0)						Near-IR Position (J2000.0)						BCL	
	R.A.			Dec.			R.A.			Dec.			R	K'
	(2)						(3)						(4)	(5)
11506+1331	11	53	14.15	13	14	27.2	11	53	14.17	13	14	26.8	23.5	20.0
11582+3020	12	0	46.83	30	4	13.5	12	0	46.82	30	4	13.4	24.5	19.5
11598-0112	12	2	26.76	-1	29	15.7	12	2	26.70	-1	29	15.8	24.0	19.5
12018+1941	12	4	24.53	19	25	9.8	12	4	24.53	19	25	9.8	24.0	19.0
12032+1707													25.0	19.5
N component	12	5	47.69	16	51	8.6	12	5	47.73	16	51	8.2		
S component	12	5	47.66	16	51	4.8	12	5	47.69	16	51	4.3		
12072-0444	12	9	45.12	-5	1	13.9	12	9	45.12	-5	1	13.9	24.0	19.0
12112+0305													23.0	20.5
NE component	12	13	46.11	2	48	42.4	12	13	46.07	2	48	42.0		
SW component	12	13	45.92	2	48	39.4	12	13	45.97	2	48	39.8		
12127-1412													24.0	19.5
NE component	12	15	19.11	-14	29	41.8	12	15	19.14	-14	29	41.4		
SW component	12	15	18.63	-14	29	49.4	12	15	18.64	-14	29	48.8		
12265+0219	12	29	6.71	2	3	8.4	12	29	6.67	2	3	8.1	22.5	18.0
12359-0725													24.5	19.5
N component	12	38	31.64	-7	42	25.8	12	38	31.62	-7	42	25.8		
S component	12	38	31.79	-7	42	35.9	12	38	31.77	-7	42	35.9		
12447+3721	12	47	7.76	37	5	36.8	12	47	7.78	37	5	36.5	25.5	19.5
12540+5708	12	56	14.29	56	52	25.1	12	56	14.29	56	52	25.1	23.5	17.5
13106-0922	13	13	14.67	-9	38	8.8	13	13	14.69	-9	38	8.8	24.5	19.0
13218+0552	13	24	19.82	5	37	4.6	13	24	19.81	5	37	4.6	24.5	18.5
13305-1739	13	33	16.50	-17	55	10.7	13	33	16.53	-17	55	10.6	24.0	19.0
13335-2612													25.0	20.0
S component	13	36	22.27	-26	27	33.8	13	36	22.29	-26	27	34.0		
N component	13	36	22.27	-26	27	32.7	13	36	22.28	-26	27	32.5		
13342+3932	13	36	24.07	39	17	30.4	13	36	24.07	39	17	30.1	24.0	19.5
13428+5608	13	44	42.08	55	53	12.3	13	44	42.06	55	53	12.6	23.5	19.5
13443+0802													24.0	19.5
NE component	13	46	51.12	7	47	19.0	13	46	51.12	7	47	18.4		
E component	13	46	51.21	7	47	14.4	13	46	51.19	7	47	14.1		
SW component	13	46	50.35	7	47	8.2	13	46	50.34	7	47	7.5		
13451+1232													24.0	19.0
W component	13	47	33.38	12	17	24.6	13	47	33.38	12	17	25.4		
E component	13	47	33.52	12	17	24.1	13	47	33.52	12	17	24.9		
13454-2956													24.0	19.0
N component	13	48	19.46	-30	11	54.5	13	48	19.46	-30	11	54.3		
S component	13	48	19.39	-30	12	1.8	13	48	19.40	-30	12	1.9		
13469+5833													24.5	19.5
E component	13	48	40.36	58	18	53.2	13	48	40.31	58	18	52.6		
W component	13	48	40.16	58	18	52.4	13	48	40.11	58	18	52.4		
13509+0442	13	53	31.55	4	28	5.4	13	53	31.57	4	28	4.7	24.5	19.5
13539+2920													24.0	19.0
NW component	13	56	10.10	29	5	35.1	13	56	9.99	29	5	35.0		
SE component	13	56	10.30	29	5	34.2	13	56	10.30	29	5	34.1		
14053-1958	14	8	11.53	-20	12	28.9	14	8	11.56	-20	12	28.6	24.5	19.5
E component							14	8	11.61	-20	12	28.6		
W component							14	8	11.56	-20	12	28.6		
14060+2919	14	8	19.08	29	4	47.1	14	8	19.09	29	4	47.2	24.0	19.0
14070+0525	14	9	31.30	5	11	30.9	14	9	31.28	5	11	31.4	24.5	19.5
14121-0126													24.0	19.5
SE component	14	14	45.52	-1	40	55.6	14	14	45.51	-1	40	55.8		
NW component	14	14	45.38	-1	40	52.4	14	14	45.38	-1	40	52.6		
14197+0813	14	22	11.72	7	59	27.0	14	22	11.72	7	59	27.1	24.5	19.0
14202+2615													24.5	19.5
SE component	14	22	31.26	26	2	4.9	14	22	31.31	26	2	5.0		
NW component	14	22	30.90	26	2	7.6	14	22	30.90	26	2	7.7		
14252-1550													24.0	20.0
SW component	14	28	1.01	-16	3	39.7	14	28	1.02	-16	3	39.5		
NE component	14	28	1.25	-16	3	37.7	14	28	1.23	-16	3	37.3		
14348-1447													23.5	20.5
SW component	14	37	38.26	-15	0	24.6	14	37	38.27	-15	0	24.6		
NE component	14	37	38.43	-15	0	21.1	14	37	38.38	-15	0	21.6		
14394+5332													23.5	19.0
EE component							14	41	4.55	53	20	9.1		
E component	14	41	4.35	53	20	8.4	14	41	4.34	53	20	8.3		
W component	14	41	1.15	53	20	10.0	14	41	1.15	53	20	9.8		
14485-2434	14	51	23.86	-24	46	30.2	14	51	23.84	-24	46	30.3	24.0	19.5
15001+1433													24.0	19.5
E component	15	2	31.95	14	21	35.5	15	2	31.94	14	21	35.3		
W component	15	2	30.88	14	21	36.5	15	2	30.90	14	21	36.8		
WW component	15	2	30.52	14	21	38.7	15	2	30.54	14	21	38.8		
15043+5754													24.0	20.0
N component	15	5	39.66	57	43	7.8	15	5	39.64	57	43	9.0		
S component	15	5	39.62	57	43	6.3	15	5	39.55	57	43	6.9		
15130-1958	15	15	55.16	-20	9	17.0	15	15	55.16	-20	9	17.2	23.5	19.5
15206+3342	15	22	38.10	33	31	35.8	15	22	38.12	33	31	36.1	24.0	19.5
15225+2350	15	24	43.91	23	40	9.9	15	24	43.94	23	40	10.2	24.5	19.0
15327+2340	15	34	57.20	23	30	13.0	15	34	57.30	23	30	12.4	24.0	19.0
15462-0450	15	48	56.80	-4	59	33.8	15	48	56.80	-4	59	33.7	24.0	20.0

TABLE 2—*Continued*

IRAS <i>FSC</i> (1)	Optical Position (J2000.0)						Near-IR Position (J2000.0)						BCL	
	R.A.			Dec.			R.A.			Dec.			R (4)	K' (5)
	(2)						(3)							
16090−0139	16	11	40.42	−1	47	6.5	16	11	40.42	−1	47	5.8	23.5	20.0
16156+0146													24.0	20.0
NW component	16	18	9.36	1	39	21.9	16	18	9.39	1	39	21.7		
SE component	16	18	9.53	1	39	20.0	16	18	9.59	1	39	19.5		
16300+1558	16	32	21.35	15	51	45.5	16	32	21.40	15	51	45.5	24.0	20.5
16333+4630													24.0	20.0
W component	16	34	52.40	46	24	52.9	16	34	52.37	46	24	53.0		
E component	16	34	52.77	46	24	54.1	16	34	52.77	46	24	54.2		
16468+5200													24.0	19.5
E component	16	48	1.65	51	55	44.3	16	48	1.70	51	55	44.4		
W component	16	48	1.37	51	55	44.1	16	48	1.36	51	55	43.9		
16474+3430													24.0	19.5
S component	16	49	14.25	34	25	8.5	16	49	14.20	34	25	10.1		
N component	16	49	14.10	34	25	13.0	16	49	14.12	34	25	13.5		
16487+5447													24.0	19.5
W component	16	49	46.94	54	42	34.9	16	49	46.88	54	42	35.4		
E component	16	49	47.23	54	42	36.0	16	49	47.21	54	42	36.5		
17028+5817													24.0	19.5
W component	17	3	41.90	58	13	43.5	17	3	41.91	58	13	44.4		
E component	17	3	43.61	58	13	42.9	17	3	43.59	58	13	43.0		
17044+6720	17	4	28.41	67	16	28.5	17	4	28.41	67	16	28.5	24.0	19.5
17068+4027													24.5	19.5
E component	17	8	31.92	40	23	28.0	17	8	32.01	40	23	27.8		
W component	17	8	31.34	40	23	26.7	17	8	31.37	40	23	26.4		
WW component	17	8	31.03	40	23	26.1	17	8	31.05	40	23	25.9		
17179+5444	17	18	54.38	54	41	47.9	17	18	54.35	54	41	48.0	24.0	19.0
20414−1651	20	44	18.16	−16	40	16.7	20	44	18.18	−16	40	16.4	24.0	19.5
21208−0519													24.0	19.5
N component	21	23	29.14	−5	6	56.5	21	23	29.19	−5	6	56.4		
S component	21	23	29.04	−5	7	2.7	21	23	29.07	−5	7	2.7		
21219−1757	21	24	41.67	−17	44	46.0	21	24	41.63	−17	44	45.6	24.5	19.0
21329−2346	21	35	45.86	−23	32	35.6	21	35	45.88	−23	32	34.7	24.5	19.0
21477+0502													24.5	19.5
E component	21	50	16.34	5	16	3.3	21	50	16.35	5	16	3.3		
EE component	21	50	16.49	5	16	2.2	21	50	16.50	5	16	2.3		
W component	21	50	15.83	5	16	4.2	21	50	15.84	5	16	4.0		
22088−1831													24.0	19.0
W component	22	11	33.81	−18	17	6.6	22	11	33.77	−18	17	6.2		
E component	22	11	33.91	−18	17	6.4	22	11	33.89	−18	17	5.7		
22206−2715													24.0	19.5
NE component	22	23	28.91	−27	0	2.8	22	23	28.89	−27	0	3.1		
SW component	22	23	28.74	−27	0	6.7	22	23	28.77	−27	0	6.3		
22491−1808	22	51	49.23	−17	52	22.9	22	51	49.20	−17	52	22.1	24.0	19.0
W component							22	51	49.20	−17	52	22.1		
E component							22	51	49.30	−17	52	22.5		
22541+0833													24.0	19.5
NW component	22	56	42.31	8	49	23.4	22	56	42.34	8	49	23.0		
SE component	22	56	42.66	8	49	18.7	22	56	42.68	8	49	18.1		
23060+0505	23	8	33.99	5	21	29.8	23	8	33.99	5	21	29.7	24.0	19.5
23129+2548	23	15	21.45	26	4	32.5	23	15	21.41	26	4	32.6	23.5	19.5
23233+2817	23	25	49.46	28	34	20.9	23	25	49.46	28	34	20.9	24.0	19.5
23234+0946													24.0	19.5
W component	23	25	56.16	10	2	50.4	23	25	56.15	10	2	50.9		
E component	23	25	56.38	10	2	48.7	23	25	56.37	10	2	49.5		
23327+2913													24.0	19.5
S component	23	35	11.92	29	30	0.4	23	35	11.93	29	30	0.2		
N component	23	35	11.87	29	30	13.0	23	35	11.88	29	30	12.8		
23389+0300													24.5	19.5
N component	23	41	30.30	3	17	26.2	23	41	30.31	3	17	26.9		
S component	23	41	30.25	3	17	23.9	23	41	30.28	3	17	24.9		
23498+2423													24.0	19.5
NW component	23	52	25.98	24	40	17.2	23	52	26.05	24	40	16.2		
SE component	23	52	26.20	24	40	14.3	23	52	26.27	24	40	13.5		

Col 1: IRAS name. The nomenclature follows that of Figure 1.

Col 2: Optical position of the nucleus

Col 3: Near-Infrared position of the nucleus

Col 4: R-band bottom contour level in Fig. 1 in magnitudes arcsec⁻²

Col 5: K'-band bottom contour level in Fig. 1 in magnitudes arcsec⁻²

TABLE 3
 R AND K' PHOTOMETRY

IRAS FSC	R	R_4	K'	K'_4	$R - K'$	$(R - K')_4$	$\frac{L(R)}{L(R_4)}$	$\frac{L(K')}{L(K'_4)}$	M_R	M_{R_4}	$M_{K'}$	$M_{K'_4}$
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
00091-0738	17.00	...	14.00	...	3.00	...	...	...	-21.37	...	-24.37	...
N component	...	19.32	...	15.34	...	3.98	...	...	...	-19.05	...	-23.03
S component	...	19.73	...	15.67	...	4.06	...	...	...	-18.64	...	-22.70
00188-0856	16.74	18.52	13.25	13.85	3.49	4.67	5.2	1.7	-21.81	-20.03	-25.30	-24.70
00397-1312	18.15	20.97	14.56	16.12	3.59	4.85	13.4	4.2	-21.94	-19.12	-25.53	-23.97
00456-2904	16.14	...	13.05	...	3.09	...	...	...	-22.08	...	-25.17	...
SW component	16.36	18.43	13.09	13.98	3.27	4.45	...	...	-21.86	-19.79	-25.13	-24.24
NE component	17.98	20.30	16.65	17.51	1.33	2.79	...	...	-20.24	-17.92	-21.57	-20.71
00482-2721	17.39	...	14.48	...	2.91	...	...	...	-21.17	...	-24.08	...
NW component	...	19.81	...	15.57	...	4.24	...	...	...	-18.75	...	-22.99
SE component	...	20.22	...	17.62	...	2.60	...	...	...	-18.34	...	-20.94
01004-2237	18.29	19.38	14.26	14.65	4.03	4.73	2.7	1.4	-20.08	-18.99	-24.11	-23.72
01166-0844	16.77	...	13.88	...	2.89	...	...	...	-21.60	...	-24.49	...
NW component	...	19.40	...	16.15	...	3.25	...	...	...	-18.97	...	-22.22
SE component	...	19.79	...	16.07	...	3.72	...	...	...	-18.58	...	-22.30
01199-2307	16.99	...	14.84	...	2.23	...	...	...	-21.99	...	-24.14	...
SW component	17.25	19.65	15.02	16.34	2.23	3.31	...	...	-21.73	-19.33	-23.96	-22.64
NE component	18.68	21.35	16.88	19.20	1.80	2.15	...	...	-20.30	-17.63	-22.10	-19.78
01298-0744	17.50	19.72	14.74	15.75	2.76	3.97	7.7	2.5	-21.18	-18.96	-23.94	-22.93
01355-1814	18.00	...	15.22	...	2.78	...	...	...	-21.43	...	-24.21	...
NW component	...	21.53	...	18.30	...	3.23	...	...	...	-17.9	...	-21.13
SE component	...	22.21	...	18.05	...	4.16	...	...	...	-17.22	...	-21.38
01494-1845	17.46	20.49	13.77	15.03	3.69	5.46	16.3	3.2	-21.54	-18.51	-25.23	-23.97
01569-2939	17.30	19.80	14.28	15.80	3.02	4.00	10.0	4.1	-21.46	-18.96	-24.48	-22.96
01572+0009	15.22	17.38	11.98	12.88	3.24	4.50	7.3	2.3	-23.85	-21.69	-27.09	-26.19
02021-2103	...	...	12.66	14.17	...	...	9.4	4.0	...	...	-25.67	-24.16
02411+0353	16.18	...	13.45	...	2.73	...	...	...	-22.62	...	-25.35	...
NE component	...	20.11	...	15.65	...	4.46	...	...	...	-18.69	...	-23.15
SW component	...	20.18	...	16.63	...	3.55	...	...	...	-18.62	...	-22.17
02480-3745	17.95	20.61	14.59	16.34	3.36	4.27	11.6	5.0	-21.15	-18.49	-24.51	-22.76
03209-0806	16.89	18.97	13.89	14.94	3.00	4.03	6.8	2.6	-22.22	-20.14	-25.22	-24.17
03250+1606	16.58	18.78	13.06	14.17	3.52	4.61	7.6	2.8	-21.98	-19.78	-25.50	-24.39
03521+0028	18.30	...	13.90	...	4.40	...	...	...	-20.62	...	-25.02	...
E component	...	21.26	...	16.70	...	4.56	...	...	...	-17.66	...	-22.22
W component	...	21.16	...	15.68	...	5.48	...	...	...	-17.76	...	-23.24
04074-2801	16.99	19.68	14.24	15.82	2.75	3.86	11.9	4.3	-21.94	-19.25	-24.69	-23.11
04103-2838	16.32	18.45	13.06	14.12	3.26	4.33	7.1	2.7	-22.05	-19.92	-25.31	-24.25
04313-1649	18.14	21.59	15.61	18.09	2.53	3.50	24.0	9.8	-22.01	-18.56	-24.54	-22.06
05020-2941	17.60	20.54	14.81	16.30	2.79	4.24	15.0	3.9	-21.35	-18.41	-24.14	-22.65
05024-1941	17.01	19.54	13.75	15.95	3.26	3.59	10.3	7.6	-22.42	-19.89	-25.68	-23.48
05156-3024	17.14	20.00	13.95	15.12	3.19	4.88	13.9	2.9	-22.04	-19.18	-25.23	-24.06
05189-2524	14.45	15.69	10.22	10.30	4.23	5.39	3.1	1.1	-21.68	-20.44	-25.91	-25.83
07599+6508	14.12	16.25	10.45	11.40	3.67	4.85	7.1	2.4	-24.76	-22.63	-28.43	-27.48
08201+2801	17.65	19.97	14.34	15.93	3.31	4.04	8.5	4.3	-21.49	-19.17	-24.80	-23.21
08474+1813	18.38	20.50	15.10	16.11	3.28	4.39	7.0	2.5	-20.44	-18.32	-23.72	-22.71
08559+1053	16.35	19.21	12.72	13.91	3.63	5.30	13.9	3.0	-22.51	-19.65	-26.14	-24.95

TABLE 3—*Continued*

IRAS FSC	R	R_4	K'	K'_4	$R - K'$	$(R - K')_4$	$\frac{L(R)}{L(R_4)}$	$\frac{L(K')}{L(K'_4)}$	M_R	M_{R_4}	$M_{K'}$	$M_{K'_4}$
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
08572+3915	15.15	...	12.90	...	2.25	...	...	...	-21.68	...	-23.93	...
NW component	...	17.87	...	13.66	...	4.21	...	...	...	-18.96	...	-23.17
SE component	...	18.07	...	15.67	...	2.40	...	...	...	-18.76	...	-21.16
08591+5248	17.17	19.37	13.43	14.64	3.74	4.73	7.6	3.0	-21.83	-19.63	-25.57	-24.36
09039+0503	17.14	19.07	13.74	15.00	3.40	4.07	5.9	3.2	-21.35	-19.42	-24.75	-23.49
09116+0334	16.40	...	12.87	...	3.53	...	...	...	-22.43	...	-25.96	...
W component	16.67	18.11	13.03	13.94	3.64	4.17	...	...	-22.16	-20.72	-25.80	-24.89
E component	18.04	20.07	15.65	17.05	2.39	3.02	...	...	-20.79	-18.76	-23.18	-21.78
09463+8141	17.15	20.25	13.90	15.82	3.25	4.43	17.4	5.9	-21.83	-18.73	-25.08	-23.16
09539+0857	18.02	19.56	14.62	15.64	3.40	3.92	4.1	2.6	-20.54	-19.00	-23.94	-22.92
10035+2740	16.95	20.50	13.67	15.89	3.28	4.61	26.3	7.7	-22.15	-18.60	-25.43	-23.21
10091+4704	17.65	20.95	14.58	16.76	3.07	4.19	20.9	7.4	-22.31	-19.01	-25.38	-23.20
10190+1322	15.65	...	11.99	...	3.66	...	...	...	-21.79	...	-25.45	...
E component	...	18.40	...	13.60	...	4.80	...	...	...	-19.04	...	-23.84
W component	...	17.80	...	13.97	...	3.83	...	...	...	-19.64	...	-23.47
10378+1108	16.53	19.07	13.74	14.82	2.79	4.25	10.4	2.7	-22.15	-19.61	-24.94	-23.86
10485-1447	17.14	...	14.41	...	2.73	...	...	...	-21.49	...	-24.22	...
E component	18.10	19.98	15.91	16.61	2.19	3.37	...	...	-20.53	-18.65	-22.72	-22.02
W component	17.72	20.39	14.72	15.47	3.00	4.92	...	...	-20.91	-18.24	-23.90	-23.16
10494+4424	16.60	19.01	13.16	14.05	3.44	4.96	9.2	2.3	-21.23	-18.82	-24.67	-23.78
10594+3818	16.73	...	13.83	...	2.90	...	...	...	-22.27	...	-25.17	...
NE component	...	20.27	...	15.51	...	4.76	...	...	...	-18.73	...	-23.49
SW component	...	19.09	...	16.05	...	3.04	...	...	...	-19.91	...	-22.95
11028+3130	18.47	21.00	15.37	17.14	3.10	3.86	10.3	5.1	-21.03	-18.50	-24.13	-22.36
11095-0238	17.11	18.87	13.95	15.07	3.16	3.80	5.1	2.8	-21.03	-19.27	-24.19	-23.07
11119+3257	16.68	18.49	11.60	12.37	5.08	6.12	5.3	2.0	-22.71	-20.90	-27.79	-27.02
11130-2659	16.94	20.30	14.27	15.79	2.67	4.51	22.1	4.1	-21.74	-18.38	-24.41	-22.89
11180+1623	17.66	...	14.46	...	3.20	...	...	...	-21.45	...	-24.65	...
E component	17.90	20.42	14.74	16.17	3.16	4.25	...	...	-21.21	-18.69	-24.37	-22.94
W component	19.40	21.19	16.07	17.23	3.33	3.96	...	...	-19.71	-17.92	-23.04	-21.88
11223-1244	16.57	...	13.49	...	3.29	...	...	...	-22.93	...	-26.01	...
W component	17.20	20.80	13.91	15.29	3.29	5.51	...	...	-22.30	-18.70	-25.59	-24.21
E component	17.47	20.46	14.71	16.40	2.76	4.06	...	...	-22.03	-19.04	-24.79	-23.10
11387+4116	17.36	19.16	13.83	14.86	3.53	4.30	5.2	2.6	-21.52	-19.72	-25.05	-24.02
11506+1331	17.12	19.90	13.58	14.45	3.54	5.45	12.9	2.2	-21.41	-18.63	-24.95	-24.08
11582+3020	18.22	21.50	14.87	17.26	3.35	4.24	20.5	9.0	-21.53	-18.25	-24.88	-22.49
11598-0112	16.22	18.39	12.72	13.51	3.50	4.88	7.4	2.1	-22.69	-20.52	-26.19	-25.4
12018+1941	17.34	19.92	14.28	15.45	3.06	4.47	10.8	2.9	-21.80	-19.22	-24.86	-23.69
12032+1707	17.47	...	13.90	...	3.57	...	...	...	-22.22	...	-25.79	...
N component	...	20.91	...	16.54	...	4.37	...	...	...	-18.78	...	-23.15
S component	...	22.14	...	17.92	...	4.22	...	...	...	-17.55	...	-21.77
12072-0444	16.26	19.30	13.44	14.61	2.82	4.69	16.4	2.9	-22.30	-19.26	-25.12	-23.95
12112+0305	15.82	...	12.62	...	3.20	...	...	...	-21.51	...	-24.71	...
NE component	...	18.12	...	14.49	...	3.63	...	...	...	-19.21	...	-22.84
SW component	...	19.32	...	14.30	...	5.02	...	...	...	-18.01	...	-23.03
12127-1412	17.55	...	13.01	...	4.71	...	...	...	-21.08	...	-25.63	...
NE component	17.75	20.15	13.04	13.63	4.71	6.52	...	...	-20.88	-18.48	-25.59	-25.00
SW component	19.51	20.92	17.12	18.33	2.39	2.59	...	...	-19.12	-17.71	-21.51	-20.30

TABLE 3—*Continued*

IRAS FSC	R	R_4	K'	K'_4	$R - K'$	$(R - K')_4$	$\frac{L(R)}{L(R_4)}$	$\frac{L(K')}{L(K'_4)}$	M_R	M_{R_4}	$M_{K'}$	$M_{K'_4}$
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
12265+0219	12.60	14.21	9.77	10.42	2.83	3.79	4.4	1.8	-26.42	-24.81	-29.25	-28.60
12359-0725	17.41	...	14.48	...	2.93	...	...	...	-21.30	...	-24.23	...
N component	18.15	20.15	14.84	15.90	3.31	4.25	...	...	-20.56	-18.56	-23.87	-22.81
S component	18.17	20.37	15.85	17.18	2.32	3.19	...	...	-20.54	-18.34	-22.86	-21.53
12447+3721	18.00	19.83	15.10	16.42	2.90	3.41	5.4	3.4	-21.00	-19.17	-23.90	-22.58
12540+5708	13.20	13.92	9.01	9.14	4.19	4.78	1.9	1.1	-22.93	-22.21	-27.12	-26.99
13106-0922	17.60	20.80	14.82	16.82	2.78	3.98	19.1	6.3	-21.61	-18.41	-24.39	-22.39
13218+0552	17.50	19.97	12.22	14.25	5.28	5.72	9.7	6.5	-22.07	-19.60	-27.35	-25.32
13305-1739	16.10	17.99	13.04	14.68	3.06	3.31	5.7	4.5	-22.76	-20.87	-25.82	-24.18
13335-2612	16.75	...	13.69	...	3.06	...	...	...	-21.74	...	-24.80	...
S component	...	19.89	...	15.20	...	4.69	...	...	...	-18.60	...	-23.29
N component	...	19.92	...	15.40	...	4.52	...	...	...	-18.57	...	-23.09
13342+3932	16.31	18.16	12.65	13.56	3.66	4.60	5.5	2.3	-22.96	-21.11	-26.62	-25.71
13428+5608	13.52	15.25	10.80	11.65	2.72	3.60	4.9	2.2	-22.33	-20.60	-25.05	-24.20
13443+0802	15.88	...	12.61	...	3.27	...	...	...	-22.78	...	-26.05	...
NE component	16.15	18.78	12.73	14.52	3.42	4.26	...	...	-22.51	-19.88	-25.93	-24.14
E component	...	20.01	...	16.03	...	3.98	...	...	...	-18.65	...	-22.63
SW component	17.50	19.95	15.02	16.67	2.48	3.28	...	...	-21.16	-18.71	-23.64	-21.99
13451+1232	15.12	...	12.57	...	2.55	...	...	...	-23.32	...	-25.87	...
W component	...	18.95	...	14.54	...	4.41	...	...	...	-19.49	...	-23.90
E component	...	18.85	...	15.45	...	3.40	...	...	...	-19.59	...	-22.99
13454-2956	16.05	...	12.59	...	3.46	...	...	...	-22.51	...	-25.97	...
N component	17.30	19.56	13.38	14.71	3.92	4.85	...	...	-21.26	-19.00	-25.18	-23.85
S component	17.33	19.38	13.30	15.52	4.03	3.86	...	...	-21.23	-19.18	-25.26	-23.04
13469+5833	17.05	...	13.86	...	3.19	...	...	...	-21.95	...	-25.14	...
E component	...	20.46	...	16.08	...	4.38	...	...	...	-18.54	...	-22.92
W component	...	20.00	...	15.68	...	4.32	...	...	...	-19.00	...	-23.32
13509+0442	17.66	19.56	14.18	15.21	3.48	4.35	5.8	2.6	-21.02	-19.12	-24.50	-23.47
13539+2920	16.71	...	13.16	...	3.55	...	...	...	-21.47	...	-25.02	...
NW component	...	18.95	...	14.26	...	4.69	...	...	...	-19.23	...	-23.92
SE component	...	19.69	...	17.12	...	2.57	...	...	...	-18.49	...	-21.06
14053-1958	17.65	...	14.40	...	3.25	...	...	...	-21.39	...	-24.64	...
E component	...	20.60	...	16.91	...	3.69	...	...	...	-18.44	...	-22.13
W component	...	20.60	...	16.80	...	3.80	...	...	...	-18.44	...	-22.24
14060+2919	16.37	18.50	13.14	14.36	3.23	4.14	7.1	3.1	-21.98	-19.85	-25.21	-23.99
14070+0525	17.88	21.68	14.35	16.64	3.53	5.04	33.1	8.2	-22.25	-18.45	-25.78	-23.49
14121-0126	17.12	...	13.40	...	3.72	...	...	...	-21.79	...	-25.51	...
SE component	...	19.76	...	14.62	...	5.14	...	...	...	-19.15	...	-24.29
NW component	...	20.59	...	17.29	...	3.30	...	...	...	-18.32	...	-21.62
14197+0813	16.39	18.75	13.64	14.75	2.75	4.00	8.8	2.8	-22.21	-19.85	-24.96	-23.85
14202+2615	16.71	...	13.22	...	3.49	...	...	...	-22.31	...	-25.80	...
SE component	...	19.55	...	14.46	...	5.09	...	...	...	-19.47	...	-24.56
NW component	...	20.32	...	16.44	...	3.88	...	...	...	-18.70	...	-22.58
14252-1550	17.55	...	13.90	...	3.65	...	...	...	-21.33	...	-24.98	...
SW component	...	20.40	...	15.85	...	4.55	...	...	...	-18.48	...	-23.03
NE component	...	21.20	...	18.14	...	3.06	...	...	...	-17.68	...	-20.74
14348-1447	15.25	...	12.27	...	2.98	...	...	...	-22.36	...	-25.34	...

TABLE 3—*Continued*

IRAS FSC	R	R_4	K'	K'_4	$R - K'$	$(R - K')_4$	$\frac{L(R)}{L(R_4)}$	$\frac{L(K')}{L(K'_4)}$	M_R	M_{R_4}	$M_{K'}$	$M_{K'_4}$
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
SW component	...	18.10	...	13.98	...	4.12	...	...	...	-19.51	...	-23.63
NE component	...	18.35	...	14.52	...	3.83	...	...	...	-19.26	...	-23.09
14394+5332	15.80	...	12.76	...	3.04	...	...	...	-22.32	...	-25.36	...
E component	16.30	17.75	13.09	13.92	3.21	3.83	...	...	-21.82	-20.37	-25.03	-24.20
EE component	...	19.62	...	14.77	...	4.85	...	...	...	-18.50	...	-23.33
W component	16.87	19.34	14.21	16.22	2.66	3.12	...	...	-21.25	-18.78	-23.91	-21.90
14485-2434	17.40	20.34	13.63	14.52	3.77	5.82	15.0	2.3	-21.46	-18.52	-25.23	-24.34
15001+1433	16.42	...	13.38	...	3.18	...	...	...	-22.64	...	-25.68	...
E component	16.61	19.36	13.43	14.53	3.18	4.83	...	...	-22.45	-19.70	-25.63	-24.53
W component	18.79	21.25	17.50	19.00	1.29	2.25	...	...	-20.27	-17.81	-21.56	-20.06
WW component	19.77	21.82	18.03	19.27	1.74	2.55	...	...	-19.25	-17.24	-21.03	-19.79
15043+5754	17.70	...	13.24	...	4.46	...	...	...	-21.21	...	-25.67	...
N component	...	20.42	...	16.17	...	4.25	...	...	...	-18.49	...	-22.74
S component	...	19.66	...	16.19	...	3.47	...	...	...	-19.25	...	-22.72
15130-1958	17.26	19.17	12.97	13.37	4.29	5.80	5.8	1.4	-20.94	-19.03	-25.23	-24.83
15206+3342	16.35	17.80	13.32	14.42	3.03	3.38	3.8	2.8	-22.14	-20.69	-25.17	-24.07
15225+2350	17.26	19.90	13.78	14.99	3.48	4.91	11.4	3.0	-21.47	-18.83	-24.95	-23.74
15327+2340	12.90	15.23	9.88	10.72	3.02	4.51	8.6	2.2	-21.39	-19.06	-24.41	-23.57
15462-0450	16.42	17.80	12.30	12.73	4.12	5.07	3.6	1.5	-21.59	-20.21	-25.71	-25.28
16090-0139	16.70	18.94	13.40	14.93	3.30	4.01	7.9	4.1	-21.95	-19.71	-25.25	-23.72
16156+0146	17.74	...	14.70	...	3.04	...	...	...	-20.87	...	-23.91	...
NW component	...	19.96	...	15.58	...	4.38	...	...	...	-18.65	...	-23.03
SE component	...	20.58	...	18.50	...	2.08	...	...	...	-18.03	...	-20.11
16300+1558	17.30	20.94	14.11	16.54	3.19	4.40	28.6	9.4	-22.63	-18.99	-25.82	-23.39
16333+4630	17.31	...	14.00	...	3.31	...	...	...	-22.11	...	-25.42	...
W component	...	20.15	...	15.37	...	4.78	...	...	...	-19.27	...	-24.05
E component	...	21.28	...	18.11	...	3.17	...	...	...	-18.14	...	-21.31
16468+5200	17.38	...	14.57	...	2.81	...	...	...	-21.51	...	-24.32	...
E component	...	20.36	...	16.64	...	3.72	...	...	...	-18.53	...	-22.25
W component	...	20.32	...	16.83	...	3.49	...	...	...	-18.57	...	-22.06
16474+3430	16.17	...	12.90	...	3.27	...	...	...	-22.07	...	-25.34	...
S component	...	18.57	...	13.90	...	4.67	...	...	...	-19.67	...	-24.34
N component	...	19.20	...	15.76	...	3.44	...	...	...	-19.04	...	-22.48
16487+5447	16.23	...	13.41	...	2.82	...	...	...	-21.87	...	-24.69	...
W component	...	18.25	...	14.89	...	3.36	...	...	...	-19.85	...	-23.21
E component	...	18.62	...	15.35	...	3.27	...	...	...	-19.48	...	-22.75
17028+5817	16.47	...	13.22	...	3.25	...	...	...	-21.67	...	-24.92	...
W component	17.07	19.48	13.51	14.11	3.56	5.37	...	...	-21.07	-18.66	-24.63	-24.03
E component	17.41	19.03	14.78	15.99	2.63	3.04	...	...	-20.73	-19.11	-23.36	-22.15
17044+6720	16.85	19.12	13.60	14.38	3.25	4.74	8.1	2.1	-21.81	-19.54	-25.06	-24.28
17068+4027	17.69	...	14.31	...	3.38	...	...	...	-21.58	...	-24.96	...
E component	17.80	20.28	14.47	16.28	3.33	4.00	9.8	5.3	-21.47	-18.99	-24.80	-22.99
W component	21.00	22.48	17.03	18.27	3.97	4.21	3.9	3.1	-18.27	-16.79	-22.24	-21.00
WW component	21.12	22.65	17.43	18.57	3.69	4.08	4.1	2.6	-18.15	-16.62	-21.84	-20.70
17179+5444	16.50	19.10	13.40	14.54	3.10	4.56	11.0	2.9	-22.35	-19.75	-25.45	-24.31
20414-1651	16.63	18.34	13.46	13.97	3.17	4.37	4.8	1.6	-21.05	-19.34	-24.22	-23.71
21208-0519	16.03	...	12.93	...	3.10	...	...	...	-22.55	...	-25.65	...
N component	...	19.59	...	15.16	...	4.43	...	...	...	-18.99	...	-23.42

TABLE 3—*Continued*

IRAS FSC	R	R_4	K'	K'_4	$R - K'$	$(R - K')_4$	$\frac{L(R)}{L(R_4)}$	$\frac{L(K')}{L(K'_4)}$	M_R	M_{R_4}	$M_{K'}$	$M_{K'_4}$
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
S component	...	19.29	...	15.99	...	3.30	...	...	...	-19.29	...	-22.59
21219–1757	15.16	16.08	11.51	12.03	3.65	4.05	2.3	1.6	-23.10	-22.18	-26.75	-26.23
21329–2346	16.83	19.25	13.97	15.25	2.86	4.00	9.3	3.3	-21.66	-19.24	-24.52	-23.24
21477+0502	17.07	...	14.00	...	3.07	...	...	...	-22.11	...	-25.18	...
E component	...	20.20	...	15.97	...	4.23	...	...	...	-18.98	...	-23.21
EE component	...	20.65	...	17.99	...	2.66	...	...	...	-18.53	...	-21.19
W component	18.81	20.97	15.76	16.68	3.05	4.29	...	...	-20.37	-18.21	-23.42	-22.50
22088–1831	16.98	...	13.95	...	3.03	...	...	...	-22.18	...	-25.21	...
W component	...	19.76	...	16.18	...	3.58	...	...	...	-19.40	...	-22.98
E component	...	19.95	...	16.47	...	3.48	...	...	...	-19.21	...	-22.69
22206–2715	16.43	...	13.40	...	3.03	...	...	...	-22.18	...	-25.21	...
NE component	...	18.95	...	15.36	...	3.59	...	...	...	-19.66	...	-23.25
SW component	...	19.91	...	16.18	...	3.73	...	...	...	-18.70	...	-22.43
22491–1808	15.51	...	12.85	...	2.66	...	...	...	-21.90	...	-24.56	...
W component	...	17.47	...	14.29	...	3.18	...	...	...	-19.94	...	-23.12
E component	...	17.37	...	14.34	...	3.03	...	...	...	-20.04	...	-23.07
22541+0833	17.19	...	13.93	...	3.52	...	...	...	-21.92	...	-25.18	...
NW component	17.67	19.55	14.15	15.26	3.52	4.29	...	...	-21.44	-19.56	-24.96	-23.85
SE component	18.32	19.88	15.75	17.00	2.57	2.88	...	...	-20.79	-19.23	-23.36	-22.11
23060+0505	16.28	18.68	11.55	12.36	4.73	6.32	9.1	2.1	-22.92	-20.52	-27.65	-26.84
23129+2548	17.64	19.75	14.59	15.95	3.05	3.80	7.0	3.5	-21.63	-19.52	-24.68	-23.32
23233+2817	16.27	18.14	13.01	14.16	3.26	3.98	5.6	2.9	-22.02	-20.15	-25.28	-24.13
23234+0946	16.71	...	13.30	...	3.41	...	...	...	-21.84	...	-25.25	...
W component	...	19.23	...	15.32	...	3.91	...	...	...	-19.32	...	-23.23
E component	...	20.17	...	16.74	...	3.43	...	...	...	-18.38	...	-21.81
23327+2913	15.86	...	13.04	...	2.82	...	...	...	-22.30	...	-25.12	...
S component	16.45	19.07	13.56	14.29	2.89	4.78	...	...	-21.71	-19.09	-24.60	-23.87
N component	16.81	18.58	14.08	15.30	2.73	3.28	...	...	-21.35	-19.58	-24.08	-22.86
23389+0300	17.83	...	14.32	...	3.51	...	...	...	-20.99	...	-24.50	...
N component	...	19.80	...	15.08	...	4.72	...	...	...	-19.02	...	-23.74
S component	...	20.39	...	17.11	...	3.28	...	...	...	-18.43	...	-21.71
23498+2423	17.12	...	12.99	...	4.13	...	...	...	-22.52	...	-26.65	...
NW component	...	20.89	...	14.08	...	6.81	...	...	...	-18.75	...	-25.56
SE component	...	23.06	...	17.87	...	5.19	...	...	...	-16.58	...	-21.77

Note: None of the photometric measurements has been corrected for Galactic extinction because $|b| > 30^\circ$ for these sources.

Col 1: Object name. The nomenclature follows that of Figure 1.

Col 2: Total R magnitude.

Col 3: R magnitude within central 4 kpc diameter.

Col 4: Total K' magnitude.

Col 5: K' magnitude within central 4 kpc diameter.

Col 6: Total $R - K'$.

Col 7: $R - K'$ within central 4 kpc diameter.

Col 8: R Luminosity ratio of total to central 4 kpc diameter.

Col 9: K' Luminosity ratio of total to central 4 kpc diameter.

Col 10: Absolute R magnitude.

Col 11: Absolute R magnitude for central 4 kpc diameter.

Col 12: Absolute K' magnitude.

Col 13: Absolute K' magnitude for central 4 kpc diameter.

This figure "fig1_3.jpg" is available in "jpg" format from:

<http://arXiv.org/ps/astro-ph/0207373v4>

This figure "fig1_4.jpg" is available in "jpg" format from:

<http://arXiv.org/ps/astro-ph/0207373v4>

This figure "fig1_5.jpg" is available in "jpg" format from:

<http://arXiv.org/ps/astro-ph/0207373v4>

This figure "fig1_6.jpg" is available in "jpg" format from:

<http://arXiv.org/ps/astro-ph/0207373v4>

This figure "fig1_7.jpg" is available in "jpg" format from:

<http://arXiv.org/ps/astro-ph/0207373v4>

This figure "fig1_8.jpg" is available in "jpg" format from:

<http://arXiv.org/ps/astro-ph/0207373v4>

This figure "fig1_9.jpg" is available in "jpg" format from:

<http://arXiv.org/ps/astro-ph/0207373v4>

This figure "fig1_10.jpg" is available in "jpg" format from:

<http://arXiv.org/ps/astro-ph/0207373v4>

This figure "fig1_11.jpg" is available in "jpg" format from:

<http://arXiv.org/ps/astro-ph/0207373v4>

This figure "fig1_12.jpg" is available in "jpg" format from:

<http://arXiv.org/ps/astro-ph/0207373v4>

This figure "fig1_13.jpg" is available in "jpg" format from:

<http://arXiv.org/ps/astro-ph/0207373v4>

This figure "fig1_14.jpg" is available in "jpg" format from:

<http://arXiv.org/ps/astro-ph/0207373v4>

This figure "fig1_15.jpg" is available in "jpg" format from:

<http://arXiv.org/ps/astro-ph/0207373v4>

This figure "fig1_16.jpg" is available in "jpg" format from:

<http://arXiv.org/ps/astro-ph/0207373v4>

This figure "fig1_17.jpg" is available in "jpg" format from:

<http://arXiv.org/ps/astro-ph/0207373v4>

This figure "fig1_18.jpg" is available in "jpg" format from:

<http://arXiv.org/ps/astro-ph/0207373v4>

This figure "fig1_19.jpg" is available in "jpg" format from:

<http://arXiv.org/ps/astro-ph/0207373v4>

This figure "fig1_20.jpg" is available in "jpg" format from:

<http://arXiv.org/ps/astro-ph/0207373v4>

This figure "fig1_21.jpg" is available in "jpg" format from:

<http://arXiv.org/ps/astro-ph/0207373v4>

This figure "fig1_22.jpg" is available in "jpg" format from:

<http://arXiv.org/ps/astro-ph/0207373v4>

This figure "fig1_23.jpg" is available in "jpg" format from:

<http://arXiv.org/ps/astro-ph/0207373v4>

This figure "fig1_24.jpg" is available in "jpg" format from:

<http://arXiv.org/ps/astro-ph/0207373v4>